

Material Safety Data Sheet

Section I – Product and Company Information

Manufacturer's Name / Address / Phone Number:

Bonded Logic Inc. 24053 S. Arizona Ave. Suite 151 Chandler AZ 85248 Ph. (480)-812-9114

Product Name:

UltraTouch Cotton Fiber Insulation

Composition:

Recycled Fiber Products, Boric, Ammonium Sulfate, Binder fiber.
Contains no fiberglass, asbestos, or formaldehyde.

Chemical Family: Fiber treated with inorganic salts.

Effective:

January, 11, 2010

Section II – Composition and Ingredient Information

recycled fiber, binder fiber, boric CAS NO: 10043-35-3, ammonium Sulfate.

100% boric acid is hazardous under the OSHA Communication Standard base upon animal chronic toxicity studies.

Section III – Physical / Chemical Characteristics

Appearance: Blue

Odor: None

Specific Gravity: n/a

pH: n/a

Boiling, Melting, Flash Point: Not Applicable

Viscosity: n/a

Vapor Pressure: n/a

Solubility: Fiber is not soluble. Chemicals are soluble.

Section IV - Fire and Explosion Hazards:

Extinguishing Media: Water or any standard agent.

Unusual Fire / Explosion Hazards: None.

Special Fire Fighting Procedures: Use standard fire fighting procedures.

Section V - Reactivity Data

Stability: Stable

Hazardous and Byproduct Composition: None

Conditions to Avoid: Prolonged temperatures exceeding 250 F

Section VI - Health Hazard Information:

Ingestion: Not intended for ingestion. See physician if ingested.

Skin: Does not normally itch or irritate skin.

Inhalation: Dust may irritate nose or throat. Wear OSHA approved dust mask if irritating. If continued difficulty exists, move to fresh air.

Eyes: Dust may cause eye irritation. Wear goggles if eye irritation. Use fresh water to cleanse eye for several minutes. If irritation persists, seek medical attention.

OHSA Regulated: None known.

Carcinogenicity: None known

Section VII - Personal Protection Information:

Exposure Control: Use a OSHA approved dust mask or respirator if irritating. Wear safety goggles if dust is annoying to eyes.

Section VIII - Handling and Storage Information:

Storage: Dry, indoor storage is recommended at ambient temperatures and atmosphere.

Transportation: UltraTouch Insulation is not a DOT hazardous substance.

Section IX - Waste Disposal:

Dispose in accordance with all applicable federal, state, and local environmental regulations.

Disclaimer:

The information presented has been compiled from sources considered to be dependable and is reliable to the best of our knowledge but is not guaranteed to be so. This Material Safety Data Sheet is offered solely for your information, considerations, and investigations. Although the identified product is generally not considered to be toxic, and to the best knowledge of the Manufacturer, there are no known serious health hazards related to its normal and intended use. This product has not been tested as a whole for all potential health effects. It may have other health hazards related to its components. This MSDS is not to be construed as recommending any practice or product in violation of any law or regulation.